

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	143355	((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:00
L10	67	L9 and (((check\$5 validat\$5 verif\$5) near5 licens\$5) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:06
L11	1	L10 and (stor\$5 near5 ((hash\$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:07
L12	1	L10 and 726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:04
L13	122	L9 and (((check\$5 validat\$5 verif\$5) near5 (hash\$5 digest\$5 licens\$5)) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:08
L14	6	L13 and (stor\$5 near5 ((hash\$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:40
L15	55	L13 not l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:08
L16	4	l15 and ((prevent\$5 disallow\$5) near6 (load\$5 instal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:17
L17	5	l15 and ((prevent\$5 disallow\$5) near6 (load\$5 instal\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:39

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L24	14	L9 and (((check\$5 validat\$5 verif\$5) near5 (hash\$5 digest\$5 licens\$5)) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:51
L25	14	L9 and (((check\$5 validat\$5 verif\$5) near5 (hash\$5 digest\$5 licens\$5)) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))).clm.	US-PGPUB; USPAT	OR	ON	2007/04/18 10:53
L26	1	I25 and ((prevent\$5 disallow\$5) near7 (load\$5 instal\$6))	US-PGPUB; USPAT	OR	ON	2007/04/18 10:55
L27	1	I25 and ((prevent\$5 disallow\$5) near7 (load\$5 instal\$6)).clm.	US-PGPUB; USPAT	OR	ON	2007/04/18 10:56

EAST Search History

L18	276	713/172.ccls. and l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
L19	7	L18 and (stor\$5 near5 ((hash\$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:40
L20	623	713/155-156.ccls. and l9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
L21	0	713/155-156.ccls. and l14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:45
L22	3	713/155-156.ccls. and l13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:48
L23	2	726/22.ccls. and l13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:48

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L9	143355	((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:00
L10	67	L9 and (((check\$5 validat\$5 verif\$5) near5 licens\$5) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:06
L11	1	L10 and (stor\$5 near5 ((hash\$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:07
L12	1	L10 and 726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:04
L13	122	L9 and (((check\$5 validat\$5 verif\$5) near5 (hash\$5 digest\$5 licens\$5)) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:08
L14	6	L13 and (stor\$5 near5 ((hash\$5 digest) near5 (software code)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:07
L15	55	L13 not l10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:08
L16	4	l15 and ((prevent\$5 disallow\$5) near6 (load\$5 instal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:17
L17	5	l15 and ((prevent\$5 disallow\$5) near6 (load\$5 instal\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 10:17

EAST Search History

S1	16231	((trusted secur\$4) with (module component)) and ((authoriz\$5 validat\$5 check\$5 verif\$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:06
S2	9	S1 and (integrity with (prevent\$5 near7 load\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:08
S3	36476	((smart near4 card) IC ((trusted secur\$4) with (module component))) and ((authoriz\$5 validat\$5 check\$5 verif\$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:01
S4	9	S3 and (integrity with (prevent\$5 near7 load\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:08
S5	139	S3 and (sign\$5 same (prevent\$5 near7 load\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:09
S6	133	S5 not S4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 13:59
S7	40	S6 and hash\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:06
S8	8	S6 and (stor\$5 near5 certificate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S9	482	Ivey.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:02
S10	12	S9 and sun	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:02

EAST Search History

S11	2053	(stor\$5 near8 ((public near4 key near8 certificate))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:11
S12	36476	((smart near4 card) IC ((trusted secur\$4) with (module component))) and ((authoriz\$5 validat\$5 check\$5 verif\$5) near6 (user device platform))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S13	9	S12 and (integrity with (prevent\$5 near7 load\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S14	139	S12 and (sign\$5 same (prevent\$5 near7 load\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S15	133	S14 not S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:08
S16	7	S15 and (stor\$5 near5 certificate) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:10
S17	7	S15 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:13
S18	6681	(stor\$5 near8 (((public near4 key near8 certificate) or (public near5 key)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/10 16:12
S19	29	S15 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:19
S20	143071	((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:21

EAST Search History

S21	1216	S20 and ((check\$5 validat\$5 verif\$5) near5 licens\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:22
S22	37076	S20 and (((check\$5 validat\$5 verif\$5) near5 licens\$5) with ((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:23
S23	67	S20 and (((check\$5 validat\$5 verif\$5) near5 licens\$5) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/18 09:59
S24	28	S23 and (public near5 key)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/11 11:24
S25	5	((((check\$5 validat\$5 verif\$5) near5 licens\$5) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))))).clm.	US-PGPUB; USPAT	OR	ON	2007/04/11 13:27
S26	59	((((check\$5 validat\$5 verif\$5) near5 licens\$5) with (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:12
S27	0	S26 and (((operating near4 system) os) with (instal\$5 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 13:29
S28	3	S26 and (((operating near4 system) os) same (instal\$5 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 13:42
S29	543	((before upon) same (((operating near4 system) os) with (instal\$6 near6 (code data software))))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:13
S30	0	S26 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 13:44
S31	131	((((check\$5 validat\$5 verif\$5) near5 licens\$5) same (((tamper-proof "tamper proof" trusted secur\$4) near6 (component module)) (smart near4 card))))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:13
S32	0	S31 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:14

EAST Search History

S33	4365	((operating near4 system) os) with (instal\$6 near6 (code data software)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:15
S34	543	S33 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:17
S35	13	((operating near4 system) os) with (instal\$6 near6 (code data software))) same ((check\$5 veif\$6 validat\$4) near6 (integrity license)))	US-PGPUB; USPAT	OR	ON	2007/04/11 14:16
S36	2	S35 and S29	US-PGPUB; USPAT	OR	ON	2007/04/11 14:17
S37	1203	726/26.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:33
S38	65	S37 and ((check\$5 validat\$5 verif\$5) near5 licens\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 14:34
S39	4	S38 and (prevent\$5 near6 (load\$5 instal\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:04
S40	6	S38 and ((prevent\$5 disallow\$5) near6 (load\$5 instal\$7))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:06
S41	2	S40 not S39	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 15:05
S42	3	S38 and (((avoid\$5 prevent\$5 allow\$5 permit\$5 authoriz\$4) near6 (load\$5 instal\$7)) with (validat\$5 check\$5 verif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:00
S43	4905	((avoid\$5 prevent\$5 allow\$5 permit\$5 authoriz\$4) near6 (load\$5 instal\$7)) with (validat\$5 check\$5 verif\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:00

EAST Search History

S44	373	((smart near4 card) IC ((trusted secur\$4) with (module component))) and ((authoriz\$5 validat\$5 check\$5 verif\$5) near6 (user device platform)) and S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:03
S45	28	S44 and (("third party" AA "authentication authority") with (public near5 key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/17 17:04